

Agenda


HAI-AR


- *Nursing Home Data
- *Celltrion DiaTrust COVID-19 Ag Rapid Tests
- *Community Levels vs Community Transmission
- *Underlying Medical Conditions Associated with Higher Risk for Severe COVID-19
- *Pre-exposure Prophylaxis

FLIS


- * CMS COVID-19 Health Care Staff Vaccination Requirements Infographic
- * EO 14B Vaccine Booster Mandate for LTC
- * EO 14F Visitation Vaccine and Testing


1








J














COVID-19 cases and deaths in Nursing Homes




9

Statewide and nursing home COVID-19 deaths







Death-to-case ratio:

Number of COVID-19 attributed deaths per month in nursing homes

Number of incident COVID-19 cases during the same month in nursing homes

Similar to case-fatality-rate except that deaths in the numerator are not restricted to incident cases in the denominator

11



COVID-19 Community Levels Vs Community Transmission

COVID-19 COMMUNITY LEVELS

Classifications: Low, Medium, High

Combination of 3 Metrics:

- New COVID-19 admissions per 100,000 population in past 7 days
 Percent of staffed inpatient beds occupied by COVID-19 patents
 Total new COVID-19 cases per 100,000 in past 7 days

*CDC recommends using community levels to help determine prevention measures for individuals and communities

Community level recommendations **DO NOT** apply for healthcare settings.

COMMUNITY TRANSMISSION

<u>Classifications:</u> Low, Moderate, Substantial, High

Combination of 2 Metrics:

- 1. Total new COVID-19 cases per 100,000 persons in the last 7 days 2. Percentage of positive SARS-CoV-2 diagnostic nucleic acid amplification tests (NAAT) in the last 7 days


Health care settings should continue to use CDC's infection prevention and control recommendations for healthcare settings which use

Nursing homes will continue to use community transmission

Source: COVID-19 Community Levels and United States COVID-19 County Level of Community Transmission








Source: COVID-19 Community Levels

13



Underlying Medical Conditions Associated with Higher Risk for Severe COVID-19

COVID-19 Death Risk Ratio (RR) for Select Age Groups and Comorbid Conditions




Source: Underlying Medical Conditions Associated with Higher Risk for Severe COVID-19: Information for Healthcare Professionals



Underlying Medical Conditions Associated with Higher Risk for Severe COVID-19

COVID-19 Death Risk Ratio (RR) Increases as the Number of Comorbid Conditions Increases



Source: Underlying Medical Conditions Associated with Higher Risk for Severe COVID-19: Information for Healthcare Professionals

15



Celltrion DiaTrust™ COVID-19 Ag Rapid Tests

- HHS is shipping each SNF about 4 tests per resident
- Celltrion tests will be distributed to CT between the weeks of 3/7 and 3/21
- May differ from ones previously used -require nasopharyngeal specimen collection

SNFs and ALFs that have already been receiving BinaxNOW tests directly from Abbott will continue to receive these



Pre-exposure Prophylaxis

Residents with moderate to severe immune compromise may benefit from added protection with a long-acting monoclonal antibody product EVUSHELD, used in conjunction with vaccination



Expected to offer 6 months of protection, the product involves two IM injections of two monoclonals: Tixagevimab and Cilgavimab given at the same time

If eligible residents are identified, medical directors can order the product to be administered on site

The product is being procured by the US government so there is no cost to facilities or residents

17




FLIS Updates

- * CMS COVID-19 Health Care Staff Vaccination Requirements Infographic
- EO 14B Vaccine Booster Mandate for LTC
- EO 14F Visitation Vaccine and Testing



Health Care Staff Vaccination




Source: CMS Current Emergencies-Clinical and Technical Guidance "COVID-19 Health Care Staff Vaccination Requirements Infographic"

19



Health Care Staff Vaccination





EO 14B – Vaccine Booster Mandate for LTC

- Signed on January 6, 2022
- Amended by Special Act 22-1 signed into law on February 15, 2022
- Extends deadline for compliance (vax and booster vax) to March 7, 2022
- DPH issued revised guidance on March 1, 2022
- ► New Reporting Deadline: 11:59 pm on March 8, 2022
- Effective through April 15, 2022

21



EO 14B – Vaccine Booster Mandate for LTC

Reporting through the FLIS Portal

3 Choices - pick ONE only:

- "I am providing information regarding covered LTC workers ONLY for the facility listed above." *You will be asked to complete Sections 10 and 11*.
- "I am providing information regarding covered LTC workers for the facility listed above AND for the following affiliated facilities (Combination Report)." You will be asked to identify these affiliated facilities using drop-down boxes and directed to complete Section 10 and 11.
- "Another facility is reporting on behalf of the facility listed above as part of a Combination Report." This is the option to choose if you are NOT reporting numbers and vaccination status for covered LTC workers because an affiliated facility is reporting on your behalf. You will be asked to identify the facility reporting on your behalf.

Every facility must submit a report



EO 14F Visitation – Vaccine and Testing

- Governor signed Executive Order 14F on January 19, 2022, to help make nursing home visitation safer during the omicron surge. <u>Ends on March 15, 2022, under Special Act 22-1</u>
- Under the EO, all nursing homes shall require visitors or essential support persons (as defined in Public Act 21-71) prior to visiting a nursing home resident to either:
 - provide proof that they are fully vaccinated against COVID-19 and, if eligible under FDA or CDC guidance, have received a COVID-19 vaccine booster; or
 - □ provide paper or electronic proof of a negative COVID-19 test result from either:
 - > a rapid antigen test completed within the previous forty-eight (48) hours; or
 - ➤ a polymerase chain reaction (PCR) test completed within the previous seventy-two (72) hours; or
 - ☐ take a rapid antigen test at the nursing home in a form and manner as directed by the Department of Public Health.

23



Visitation – Vaccine and Testing

- ➤ Under the EO, nursing homes shall deny entrance to any visitor or essential support person who tests positive for COVID-19 OR any visitor or essential support person who refuses to take a rapid antigen test <u>provided by the nursing home</u>
- ➤ A nursing home shall NOT deny entrance to any visitor or essential support person who is willing to take a rapid antigen test but is unable to because the nursing home is not able to provide a rapid antigen test
- ➤ The EO is intended to be consistent with CMS visitation requirements.
- > The EO ends on March 15, 2022



Upcoming

Essential Support Person Policies and Procedures

- DPH is working to issue policies and procedures by mid-March
- DPH will schedule a webinar to review the policies and procedures once final

Vaccine Survey

Legionella Workshop